

**"BEACON INDUSTRIES INC.
PURCHASE ORDER QUALITY ASSURANCE CLAUSES
(Jan. 16, 2018 Rev. J)"**

| TYPE | CODE | SUBJECT | QA REQUIREMENT CLAUSE |
|------|------|----------------------------|---|
| STD | A | CERTIFICATIONS | ALL CERTIFICATIONS MUST BE SIGNED BY SUPPLIER QUALITY CONTROL MANAGER OR DESIGNEE WITH NAME AND TITLE PRINTED ADJACENT/BELOW SIGNATURE. A CERTIFICATION OF COMPLIANCE OR CERTIFICATION OF SERVICE OR INSPECTION PERFORMED TO A DEFINED SPECIFIC SPECIFICATION IS REQUIRED. |
| STD | AK | HANDLING AND STORAGE | SUPPLIER SHALL PROVIDE A SYSTEM THAT WILL PACK AND PROTECT PARTS, AND PROTECT DURING HANDLING AND STORAGE OF MATERIAL AND PARTS IN A MANNER TO PROTECT PRODUCT QUALITY FROM DAMAGE, LOSS, DETERIORATION, CONTAMINATION, CORROSION, DEGRADATION, OR SUBSTITUTION. |
| STD | AAR | COMMERCIAL TERMS | THIS IS A CONFIRMING ORDER DO NOT DUPLICATE THIS PURCHASE! SHIPPING BY SOURCE OTHER THAN THOSE INDICATED ON THE FACE OF THIS P.O. MAY RESULT IN A REJECTION OF THE SHIPMENT AND RETURN TO YOUR FACILITY AT YOUR EXPENSE. PAYMENT TERMS ARE NET 60 DAYS. C.O.D. & OVER SHIPMENTS WILL NOT BE ACCEPTED UNLESS AUTHORIZED BY BEACON PURCHASING. |
| STD | ABJ | QA SYSTEM | ISO 9001 OR AS9100 OR MIL-I-45208A OR EQUIVALENT QUALITY SYSTEMS REQUIRED. |
| STD | ABK | CALIBRATION SYSTEM | ISO 10012-1 OR ANS1 2540-1 OR MIL-I-45208A CALIBRATION SYSTEM IS REQUIRED. |
| STD | ABP | COMPLIANCE | SUPPLIER SHALL COMPLY WITH ALL SPECIFICATIONS STATED OR INCLUDED BY REFERENCE IN THIS ORDER AND CONTAINED IN SUPPLIER'S PRODUCT LITERATURE OR PROPOSAL TO THE EXTENT CONSISTENT WITH THIS ORDER. THE REQUIREMENTS AND SPECIFICATIONS IN THIS ORDER SHALL TAKE PRECEDENCE OVER ANY SUPPLIER REFERENCED SPECIFICATIONS OR TERMS. |
| STD | AE | RIGHT OF ENTRY AND WITNESS | BEACON INDUSTRIES AND BEACON'S CUSTOMERS AND/OR REGULATORY AGENCIES SHALL HAVE THE RIGHT OF ENTRY TO YOUR FACILITY TO REVIEW PRODUCT OWNED BY BEACON OR BEACON'S CUSTOMERS. BEACON INDUSTRIES AND BEACON'S CUSTOMERS AND/OR REGULATORY AGENCIES SHALL BE GRANTED THE RIGHT TO WITNESS SUPPLIER MANUFACTURING OPERATIONS, INSPECTIONS AND TESTING ON THE PRODUCT OWNED BY BEACON OR ITS CUSTOMERS, AND TO CONDUCT SUPPLIER MANUFACTURING OPERATION AND PROCESSING INSPECTIONS AND/OR TESTS, AS NECESSARY, TO VERIFY CONFORMANCE OF MATERIALS AND SERVICES TO APPLICABLE SPECIFICATIONS AND P/O REQUIREMENTS. THE SUPPLIER SHALL PROVIDE BEACON WITH REASONABLE ACCESS TO FACILITIES, EQUIPMENT, RECORDS, AND ASSISTANCE AS REQUIRED IN THE COURSE OF VERIFYING COMPLIANCE. |

**"BEACON INDUSTRIES INC.
PURCHASE ORDER QUALITY ASSURANCE CLAUSES
(Jan. 16, 2018 Rev. J)"**

| TYPE | CODE | SUBJECT | QA REQUIREMENT CLAUSE |
|---------|------|-----------------------------------|---|
| STD | AH | SATISFACTION OF PO REQUIREMENTS | THE REQUIREMENTS OF THIS P/O SHALL BE SATISFIED, IN ADDITION TO ALL DETAILED REQUIREMENTS SPECIFIED OR REFERENCED IN THE P/O REFERENCED DRAWINGS (DWGS) AND SPECIFICATIONS. |
| STD | AM | PREPARATION FOR SHIPMENT | 1) SUPPLIER SHALL ASSURE THAT PARTS ARE MANUFACTURED AND COMPLETED TO P/O REQUIREMENTS AND THAT ALL MANUFACTURING AND PRODUCT ACCEPTANCE REQUIREMENTS HAVE BEEN SATISFIED PRIOR TO SHIPMENT. 2) SUPPLIER SHIPMENT PREP SYSTEM SHALL BE DESIGNED TO ENSURE THAT MATERIAL IS PACKED IN ACCORDANCE WITH APPLICABLE REQUIREMENTS TO PREVENT PRODUCT DAMAGE AND INSURE PART SAFETY DURING TRANSPORTATION, AND THAT SHIPMENT IS ACCOMPANIED BY REQUIRED SHIPPING AND TECHNICAL DOCUMENTS. |
| STD | AR | SUPPLIER ACKNOWLEDGEMENT | THIS QA REQUIREMENT PERTAINS TO SUPPLIER ACKNOWLEDGEMENT OF RECEIPT AND CONFIRMATION OF REQUIREMENTS OF THIS P/O BY SIGNING, DATING AND RETURNING THE BLUE COPY OF THIS P/O TO BEACON INDUSTRIES, INC., PURCHASING DEPARTMENT (AFFIX SIGNATURE AND DATE IN AREA PROVIDED ON FACE OF THE PO). |
| STD | AY | REVISION NOTIFICATION | SUPPLIERS ARE REQUIRED TO NOTIFY BEACON INDUSTRIES AS SOON AS PRACTICAL OF ANY DRAWING SPECIFICATION (SPEC), STANDARD, OR OTHER REQUIRED TECHNICAL DATA, WHICH IS MORE CURRENT (EITHER DATE OR REVISION) THAN TECHNICAL DATA PROVIDED FOR THIS P/O. |
| STD | M | DEVIATIONS | ANY DEVIATION IN THE REQUIREMENTS OF THIS P/O MUST BE APPROVED IN WRITING BY BEACON INDUSTRIES' QA MANAGER OR HIS/HER DESIGNEE, BEFORE WORK IS STARTED OR CONTINUED. |
| GENERAL | AAG | P.O. SUPPLEMENT WITHOUT QA EFFECT | THIS P/O SUPPLEMENT ISSUED HAS NO CHANGE OR NO EFFECT ON THE QUALITY REQUIREMENTS IDENTIFIED TO THE ORIGINAL P/O. SUPPLIER MUST ADVISE BEACON INDUSTRIES PURCHASING DEPARTMENT IF THIS SUPPLEMENT CANNOT BE INCORPORATED OR IMPLEMENTED. |
| GENERAL | AAH | P.O. SUPPLEMENT WITH QA EFFECT | THIS P/O SUPPLEMENT ISSUED CHANGED OR HAD AN EFFECT ON THE QUALITY REQUIREMENTS IDENTIFIED TO THE ORIGINAL P/O. SUPPLIER MUST ADVISE BEACON INDUSTRIES PURCHASING DEPARTMENT IF THIS SUPPLEMENT CANNOT BE INCORPORATED OR IMPLEMENTED. |
| GENERAL | AAI | FIRST PIECE INSPECTION | FIRST PIECE APPROVAL FOR EACH SET-UP IS REQUIRED BY BEACON QA PRIOR TO CONTINUATION. |
| GENERAL | AAJ | S/N, HEAT CODE & SUFFIX | SERIAL NUMBERS AND/OR HEAT CODE/SUFFIX MUST BE MAINTAINED FOR EACH PIECE. RECORD NUMBERS PRIOR TO REMOVAL AND RE- IDENTIFY IMMEDIATELY AFTER COMPLETION. |
| GENERAL | H | QUALITY PLAN APPROVAL | SUPPLIER MANUFACTURING PLAN AND QUALITY PLAN & PROCEDURES MUST BE SUBMITTED FOR BEACON REVIEW AND APPROVAL BEFORE PROCESSING OF ANY TYPE BEGINS. |

**"BEACON INDUSTRIES INC.
PURCHASE ORDER QUALITY ASSURANCE CLAUSES
(Jan. 16, 2018 Rev. J)"**

| TYPE | CODE | SUBJECT | QA REQUIREMENT CLAUSE |
|---------|------|--------------------------------|--|
| GENERAL | I | FIRST ARTICLE | BEACON INDUSTRIES REQUIRES FIRST ARTICLE INSPECTION APPROVAL OF THIS PART PRIOR TO PROCESSING OF THIS PRODUCTION LOT. ADDITIONALLY, COPIES OF SUPPLIER'S FIRST ARTICLE INSPECTION REPORT MUST ACCOMPANY SHIPMENT OF THIS FIRST ARTICLE PIECE. |
| GENERAL | J | DATA/CERTS. | CHEMICAL AND PHYSICAL PROPERTY DATA AND RELATED CERTIFICATIONS AND LABORATORY TEST DATA RESULTS ARE REQUIRED PRIOR TO SHIPPING MATERIAL OR MUST ACCOMPANY SHIPMENT OF THE PART(S) DEFINED BY THIS P/O. |
| GENERAL | K | TEST SAMPLES | SAMPLES OF SUITABLY SIZED MATERIALS USED TO EITHER FABRICATE, PRODUCE RAW MATERIAL, OR FORGINGS ETC., FOR THIS PART, OR A TREATED WITNESS PANEL REPRESENTATIVE OF THE PROCESS USED TO TREAT THIS PART, MUST BE FURNISHED WITH THIS INITIAL SHIPMENT. SUITABLY SIZED SAMPLES WILL BE REQUIRED TO COMPLETE COMPLIANCE TESTING TO APPLICABLE SPECIFICATIONS DEFINED BY THIS P/O. |
| GENERAL | L | CAUTION - TITANIUM | MATERIAL FURNISHED FOR THE PARTS DEFINED BY THIS P/O IS FABRICATED FROM A TITANIUM ALLOY. TAKE APPROPRIATE ACTION AND PRECAUTION TO HANDLE, CLEAN, AND TREAT THIS PART CORRECTLY. DO NOT VAPOR DEGREASE THIS TITANIUM PART OR MATERIAL WITH CHLORINATED OR FLUORINATED SOLVENTS. DO NOT ALUMINA GRIT BLAST THIS PART OR MATERIAL TO SURFACE PREP OR CLEAN USING GRIT BLASTING TECHNIQUES. DO NOT PERMIT THIS TITANIUM PART TO COME IN CONTACT WITH COPPER AND/OR HEAVY METALS THAT MAY CAUSE EMBRITTLEMENT OR PREDISPOSE THE PART TO FATIGUE DAMAGE. |
| GE | ABR | GE CONTRACT NO. | THE FOLLOWING GE CONTRACT NUMBER APPLIES TO THIS P/O: |
| GE | AD | GE S -1000 | THIS QA REQUIREMENT APPLIES TO THE SUBCONTRACT PROCESSING OF GE ENGINE COMPONENTS. REFER TO GE SUPPLIER QUALITY SYSTEM SPECIFICATION S-1000 FOR DETAILS. |
| GE | AX | GE-VSE | THIS P/O REQUIRES GENERAL ELECTRIC VENDOR SUBSTANTIATION (VSE) APPROVAL. |
| GE | E | GE END-USE | THIS PART IS FOR GENERAL ELECTRIC (GE) END-USE. WHEN PROCESSING THIS ORDER, REFERENCE THE LATEST REVISION OF GE SPECIFICATION S-1000 TO INSURE COMPLIANCE OF ALL QUALITY REQUIREMENTS. |
| GE | ABY | S-400 / S-450 MATERIAL CONTROL | LABORATORY CONTROLLED SOURCE REQUIRED PER S-400 / S-450. (MATERIALS, PARTS AND DETAILS) APPLIES TO THIS PURCHASE ORDER. |
| GOV | AAE | DPAS RATING | THE FOLLOWING US GOVERNMENT CONTRACT NO. AND DPAS RATING APPLIES TO THIS P/O: |

**"BEACON INDUSTRIES INC.
PURCHASE ORDER QUALITY ASSURANCE CLAUSES
(Jan. 16, 2018 Rev. J)"**

| TYPE | CODE | SUBJECT | QA REQUIREMENT CLAUSE |
|------|------|-------------------------------|--|
| GOV | ABN | GOVERNMENT QA & PRIORITY | THIS PART IS FOR A US GOVERNMENT CONTRACT. PRIORITY RATING CERTIFIED FOR NATIONAL DEFENSE USE UNDER DPS REG. 1 AND ALL OTHER APPLICABLE REGULATIONS AND ORDERS OF DIBA IN OBTAINING CONTROLLED MATERIALS AND OTHER PRODUCTS AND MATERIALS NEEDED TO FILL THIS ORDER. GOVERNMENT CONTRACT NUMBER AND RATING IS SHOWN ON THE FACE OF THIS P.O. QUALITY REQUIREMENTS ARE MIL- I- 45208A AND 15010012-1 OR ANSI 2540-1. |
| GOV | ABQ | GOV. CONTRACT NO. | THE FOLLOWING US GOVERNMENT CONTRACT NO. APPLIES TO THIS P/O: |
| GOV | ABT | SOLAR | PART IS FOR SOLAR TURBINE END ITEM USE. |
| GOV | F | GOVERNMENT END-USE | THIS PART IS FOR GOVERNMENT END USE- GOVERNMENT INSPECTION MAY BE REQUIRED FOR FIRST PIECE AND/OR FIRST ARTICLE LOTS, PRIOR TO SHIPMENT FROM YOUR PLANT. UPON RECEIPT OF THIS P/O, PROMPTLY NOTIFY A QUALIFIED GOVERNMENT REPRESENTATIVE WHO NORMALLY PROVIDES INSPECTION SERVICES FOR YOUR PLANT SO THAT APPROPRIATE PLANNING FOR GOVERNMENT INSPECTION CAN BE IMPLEMENTED. |
| GOV | ABX | FAR CLAUSES | THE FOLLOWING CLAUSES ARE HEREBY INCORPORATED BY REFERENCE: THESE CLAUSES MAY BE ACCESSED ELECTRONICALLY AT THE FOLLOWING ADDRESS: http://www.dscr.dla.mil/proc/clauses/clauses.html |
| P&W | AAA | RCC NUMBER APPLICABILITY | ALL MATERIAL, PARTS, ITEM, COATING, SURFACE TREATMENT, HEAT TREAT, OR OTHER SPECIAL PROCESS SHALL BE IN ACCORDANCE WITH ALL SPECIAL INSTRUCTIONS NOTED ON THIS SPECIFIC RCC REQUIREMENT. ANY ADDITIONS OR DELETIONS NOTED TO THE REQUIREMENTS OF THIS RCC SHALL BE SUBMITTED AND APPROVED BY BEACON INDUSTRIES IN WRITING PRIOR TO STARTING WORK SPECIFIED IN THIS P/O. THE FOLLOWING REQUIREMENT CONTROL CARD NUMBER (RCC) APPLIES TO THIS P/O: . |
| P&W | AAB | QAD CARD NUMBER APPLICABILITY | THE FOLLOWING QUALITY ASSURANCE DATA (QAD) CARD NUMBER APPLIES TO THIS P/O. ALL MATERIALS, PARTS, SERVICES, COATINGS, SURFACE TREATMENTS, HEAT TREATMENTS, OR SPECIAL PROCESSES SHALL BE IN ACCORDANCE WITH ALL SPECIAL INSTRUCTIONS NOTED ON THIS SPECIFIC QAD REQUIREMENT. ANY ADDITIONS OR DELETIONS NOTED TO THE REQUIREMENTS OF THIS QAD SHALL BE SUBMITTED TO AND APPROVED BY BEACON INDUSTRIES IN WRITING PRIOR TO STARTING WORK SPECIFIED IN THIS P/O. THE FOLLOWING QUALITY ASSURANCE DATA (QAD) APPLIES TO THIS P/O: . |
| P&W | AAD | PWA CONTRACT NO. | THE FOLLOWING PWA CONTRACT NUMBER APPLIES TO THIS P/O: |
| P&W | AAK | PWA SOURCE INSPECTION | P & W SOURCE INSPECTION REQUIRED. |

**"BEACON INDUSTRIES INC.
PURCHASE ORDER QUALITY ASSURANCE CLAUSES
(Jan. 16, 2018 Rev. J)"**

| TYPE | CODE | SUBJECT | QA REQUIREMENT CLAUSE |
|------|------|---|---|
| P&W | AAL | PWA MCL F-40 | THIS QA REQUIREMENT APPLIES TO HEAT TREATMENT AND CASE HARDENING. PWA MCL MANUAL SECTION F-40 APPLIES TO THESE MATERIALS. SEE SECTION F-40 OF THE MANUAL FOR DETAILS. |
| P&W | AB | PWA MCL J-32 | THIS QA REQUIREMENT APPLIES FOR ALL PWA FORGINGS. PWA MCL MANUAL SECTION J-32 APPLIES TO THESE MATERIALS. SEE SECTION J- 32 OF THE MANUAL FOR DETAILS. |
| P&W | ABI | PRIME RELIABLE PART | THIS PART IS A PRIME RELIABLE PART. |
| P&W | AC | PWA MCL F-4 | THIS QA REQUIREMENT APPLIES TO THE CONTROL OF MATERIALS USED TO FABRICATED PARTS FROM STEEL, HEAT AND CORROSION RESISTANT ALLOY FORGINGS AND ROLLED RINGS FOR NON-ROTOR APPLICATIONS. PWA MCL MANUAL SECTION F-4 APPLIES TO THIS MATERIAL AND USAGE. SEE SECTION F-4 OF THE MANUAL FOR DETAILS. |
| P&W | AN | PWA MLC F-2 | THIS QA REQUIREMENT PERTAINS TO THE CONTROL OF ALUMINUM, MAGNESIUM AND COPPER ALLOY FORGINGS AND ROLLED RINGS. REFER TO MCL MANUAL SECTION F-2 FOR DETAILS THAT ARE APPLICABLE TO THIS QA REQUIREMENT. |
| P&W | AP | PWA-310 | THIS QA REQUIREMENT PERTAINS TO SUPPLIER PART OR MATERIAL MARKING CONTROL, INCLUDING REQUIREMENTS TO DEFINE, SPECIFY, AND CONTROL MARKING METHODS THAT ENSURE POSITIVE IDENTIFICATION OF MATERIALS AND ITEMS, AND ESTABLISH ITEM MARKING REQUIREMENTS FOR IDENTIFICATION PURPOSES. REFER TO PWA-310 FOR DETAILS PERTINENT TO THIS QA REQUIREMENT. |
| P&W | AT | PWA ENGINEERING SOURCE APPROVAL (ESA) | SUPPLIER MUST HAVE PWA-370 ESA APPROVAL TO WORK ON THIS P/O. PWA-370 ENGINEERING SOURCE APPROVAL REQUIREMENTS APPLY TO THIS P/O. PWA PROCESS SHEET APPROVAL REQUIRED. UPON RECEIPT OF ESA APPROVAL FROM P&W, THE SUPPLIER IS REQUIRED TO FAX AND MAIL COPIES OF THE ESA APPROVAL SIGNATURE DOCUMENT TO BEACON INDUSTRIES. |
| P&W | AU | MAJOR ROTOR PART | THIS IS A MAJOR ROTOR PART. |
| P&W | AV | PWA-QA-6071 SUFFIX NUMBERS AND HEAT CODES | THIS P/O REQUIRES THE USE OF HEAT CODES AND SUFFIX NUMBERS PER THE REQUIREMENTS OF PWA-QA-6071. |
| P&W | AW | PWA-QA-6071 HEAT CODES | THIS P/O REQUIRES THE USE OF HEAT CODES PER THE REQUIREMENTS OF PWA-QA-6071. |
| P&W | B1 | P&W END-USE | THIS PART IS FOR PRATT & WHITNEY (P&W) END USE AND CONTROL MUST BE IN ACCORDANCE WITH PWA-300, PW- QA-6088, ASQR- 01 AND PW-QA-6078 FOR RAW MATERIAL SUPPLIERS. |
| P&W | B2 | LCS MATERIAL MCL F-17 | P&W LABORATORY CONTROLLED SOURCE REQUIRED PER PWA-MCL MANUAL SECTION F-17 (MATERIALS, PARTS, AND ASSEMBLIES SUBJECT TO P&W LABORATORY CONTROLLED AT SOURCE) APPLIES. |

**"BEACON INDUSTRIES INC.
PURCHASE ORDER QUALITY ASSURANCE CLAUSES
(Jan. 16, 2018 Rev. J)"**

| TYPE | CODE | SUBJECT | QA REQUIREMENT CLAUSE |
|------|------|--------------------------|--|
| P&W | C | VENDOR QA, FIRST ARTICLE | PWA VENDOR SUPPLIER QUALITY ASSURANCE CONTROL ACCEPTANCE REQUIRED FOR THIS CONTRACT PRIOR TO SHIPMENT FROM YOUR FACILITY. THIS REQUIREMENT APPLIES TO FIRST PIECE SHIPMENT ONLY. THE FIRST PIECE MUST BE TAGGED (WITHOUT DAMAGE TO HARDWARE) WITH THE FOLLOWING STATEMENT "FIRST ARTICLE". |
| P&W | CC | CODE OF CONDUCT | SUPPLIERS ARE REQUIRED TO ADHERE TO THE UTC CODE OF CONDUCT. http://www.utc.com/Suppliers/Documents/Code%20of%20Conduct/ |
| P&W | N | PWA MCL F-3 | THIS QA REQUIREMENT APPLIES TO NON-AIRFOIL ROTOR APPLICATIONS. PWA MCL MANUAL SECTION F-3 CONTROL OF STEEL, HEAT AND CORROSION RESISTANT ALLOY FORGINGS AND ROLLED RINGS APPLIES TO THIS MATERIAL AND USAGE. SEE SECTION F-3 OF THE MANUAL FOR DETAILS. |
| P&W | O | PWA MCL F-12 | THIS QA REQUIREMENT APPLIES TO TITANIUM ALLOY FORGINGS AND ROLLED RINGS FOR ROTOR (EXCEPT BLADES) APPLICATIONS. PWA MCL MANUAL SECTION F-12 APPLIES TO THIS MATERIAL AND USAGE. SEE SECTION F-12 OF THE MANUAL FOR DETAILS. |
| P&W | P | PWA MCL F-13 | THIS QA REQUIREMENT APPLIES TO PARTS FABRICATED FROM OR RAW MATERIAL CONSISTING OF FLASH WELDED RINGS OR RINGS PRECISION ROLLED FROM FLASH WELDED RINGS. PWA MCL MANUAL SECTION F-13 APPLIES TO THIS MATERIAL AND USAGE. SEE SECTION F-13 OF THE MANUAL FOR DETAILS. |
| P&W | Q | PWA MCL F-14 | THIS QA REQUIREMENT APPLIES TO PARTS FABRICATED FROM OR RAW MATERIAL IN THE FORM OF WROUGHT EXTRUDED BAR, ROD, TUBE, PLATE, SHEET, STRIP, AND WIRE FOR NON-ROTOR APPLICATIONS. PWA MCL MANUAL SECTION F-14 APPLIES TO THIS MATERIAL AND USAGE. SEE SECTION F-14 OF THE MANUAL FOR DETAILS. |
| P&W | R | PWA MCL F-22 | THIS QA REQUIREMENT APPLIES TO CONTROL OF CHEMICAL AND METALLURGICAL PROCESSING OF PARTS AND MATERIALS. PWA MCL MANUAL SECTION F-22 APPLIES TO THIS PROCESSING. SEE SECTION F-22 OF THE MANUAL FOR DETAILS. |
| P&W | S | PWA MCL F-23 | THIS QA REQUIREMENT APPLIES TO THE CONTROL OF CHECK AND CALIBRATION OF LABORATORY/INSPECTION EQUIPMENT. PWA MCL MANUAL SECTION F-23 APPLIES TO THIS PROCESSING. SEE SECTION F-23 OF THE MANUAL FOR DETAILS. |
| P&W | T | PWA MCL F-26 | THIS QA REQUIREMENT APPLIES TO THE CONTROL OF DIRECT PROCUREMENT OF ROTOR PART FORGINGS AND ROLLED RINGS FORMED MATERIALS BY MACHINING VENDORS. PWA MCL MANUAL SECTION F-26 APPLIES TO THIS PROCESSING. SEE SECTION F-26 OF THE MANUAL FOR DETAILS. |
| P&W | U | PWA MCL F-27 | THIS QA REQUIREMENT APPLIES TO THE CONTROL OF POWDER USED FOR PLASMA AND FLAME SPRAY, PACK CEMENTATION COATING OR SIMILAR COATING PROCESSES. PWA MCL MANUAL SECTION F-27 APPLIES TO THIS PROCESSING. SEE SECTION F-27 OF THE MANUAL FOR DETAILS. |

**"BEACON INDUSTRIES INC.
PURCHASE ORDER QUALITY ASSURANCE CLAUSES
(Jan. 16, 2018 Rev. J)"**

| TYPE | CODE | SUBJECT | QA REQUIREMENT CLAUSE |
|------|------|---------------------|--|
| P&W | V | PWA MCL F-28 | THIS QA REQUIREMENT APPLIES TO CONTROL OF TITANIUM ALLOY FORGINGS AND ROLLED RINGS FOR NON-ROTOR APPLICATIONS/ PWA MCL MANUAL SECTION F-28 APPLIES TO THIS MATERIAL AND USAGE. SEE SECTION F-28 OF THE MANUAL FOR DETAILS. |
| P&W | W | PWA MCL F-35 | THIS QA REQUIREMENT APPLIES TO THE CONTROL OF THERMAL SPRAY, PWA-44 DIFFUSION, AND PWA PLASMA COATINGS OR SIMILAR COATING PROCESSES USED BY COATING VENDORS. PWA MCL MANUAL SECTION F-35 APPLIES TO THIS TYPE OF PROCESSING. SEE F-35 OF THE MANUAL FOR DETAILS. |
| P&W | X | PWA MCL F-43 & F-44 | THIS QA REQUIREMENT APPLIES TO THE CONTROL OF ELECTROCHEMICAL, MACHINING, ELECTRO-DISCHARGE, AND LASER METAL REMOVAL PROCESSES. PWA MCL MANUAL SECTION F-43 & F-44 APPLY TO THIS TYPE OF PROCESSING. SEE BOTH SECTIONS OF THE MANUAL FOR DETAILS. |
| P&W | Y | PWA MCL F-45 | THIS QA REQUIREMENT APPLIES TO CONTROL OF THREADED FASTNERS AND TIE ROD NUTS DETAILS. PWA MCL MANUAL SECTION F-45 APPLIES TO THESE COMPONENTS. SEE SECTION F-45 OF THE MANUAL FOR DETAILS. |
| PWA | ABU | FLIGHT SAFETY PART | THIS IS A FLIGHT SAFETY PART. ASQR-09.1 APPLIES. |
| PWA | ABZ | PWA MCL F-64 | THIS QA REQUIREMENT APPLIES TO THE CONTROL OF PEENING. PWA MCL MANUAL SECTION F-64 APPLIES TO THIS TYPE OF PROCESSING. SEE F-64 OF THE MANUAL FOR DETAILS. |
| PWA | ACA | PWA MCL F-52 | THIS QA REQUIREMENT APPLIES TO THE CONTROL OF NONMETALIC RAW MATERIALS. PWA MCL MANUAL SECTION F-52 APPLIES TO THIS TYPE OF PROCESSING. SEE F- 52 OF THE MANUAL FOR DETAILS. |
| PWA | ACB | PWA MCL F-42 | THIS QA REQUIREMENT APPLIES TO THE CONTROL OF ADHESIVE BONDED ASSEMBLIES. PWA MCL MANUAL SECTION F-42 APPLIES TO THIS TYPE OF PROCESSING. SEE F-42 OF THE MANUAL FOR DETAILS. |
| PWA | ACC | PWA MCL F-31 | THIS QA REQUIREMENT APPLIES TO THE CONTROL OF TITANIUM ALLOY CASTINGS. PWA MCL MANUAL SECTION F-31 APPLIES TO THIS TYPE OF PROCESSING. SEE F-31 OF THE MANUAL FOR DETAILS. |
| PWA | ACD | PWA 79345 | PROCESS CERTIFICATION PER UTCQR-09.1 APPLIES. CONTROL PLANS REQUIRED TO BE SUBMITTED AND DATA FORWARDED TO BEACON INDUSTRIES. |
| PWC | AAS | PWC ESA | PART IS ESA CONTROLLED PER CPW135 AND SQOP 01-07. THE CURRENT APPROVED PROCESS PLAN MUST BE UTILIZED IN THE PROCESSING OF THIS P.O. NO CHANGES ALLOWED WITHOUT PRIOR PWC APPROVAL. |

**"BEACON INDUSTRIES INC.
PURCHASE ORDER QUALITY ASSURANCE CLAUSES
(Jan. 16, 2018 Rev. J)"**

| TYPE | CODE | SUBJECT | QA REQUIREMENT CLAUSE |
|---------|------|---|--|
| PWC | ABM | P & W CANADA (PWC) | PART IS FOR PRATT & WHITNEY CANADA END ITEM USE AND CONTROL MUST BE IN ACCORDANCE WITH SQOP 01-01 AND |
| PWC | ACK | FLIGHT SAFETY PART | THIS IS A FLIGHT SAFETY PART. ASQR-09.1 APPLIES. |
| PWC | ACL | UTCQR-09-1 | PROCESS CERTIFICATION PER UTCQR-09.1 APPLIES. CONTROL PLANS REQUIRED TO BE SUBMITTED AND DATA FORWARDED TO BEACON INDUSTRIES. |
| SOLAR | ABS | SOLAR | PART IS FOR SOLAR TURBINE END ITEM USE. |
| MTU | ACE | MTU END USE | THIS PART IS FOR MTU END USE AND CONTROL MUST BE IN ACCORDANCE WITH THE LATEST REVISION OF MTN94111. PLEASE REFER TO THE LATEST REVISION OF ALL REQUIRED MTU SPECIFICATIONS. |
| MTU | ACF | GE S -1000 | THIS QA REQUIREMENT APPLIES TO THE SUBCONTRACT PROCESSING OF GE ENGINE COMPONENTS. REFER TO GE SUPPLIER QUALITY SYSTEM SPECIFICATION S-1000 FOR DETAILS. |
| MTU | ACG | ASQR-01 | THIS QA REQUIREMENT APPLIES TO THE SUBCONTRACT PROCESSING OF PWA ENGINE COMPONENTS. REFER TO PWA SUPPLIER QUALITY SYSTEM SPECIFICATION ASQR-01 FOR DETAILS. |
| MTU | ACH | MAJOR ROTOR PART | THIS IS A MAJOR ROTOR PART. |
| MTU | ACI | MTU CONTRACT NO. | THE FOLLOWING MTU CONTRACT NUMBER APPLIES TO THIS P/O: |
| MTU | ACJ | MTU ENGINEERING SOURCE APPROVAL (ESA) | SUPPLIER MUST HAVE CMT PRODUCTION APPROVAL TO WORK ON THIS P/O. MTV-3 ENGINEERING SOURCE APPROVAL REQUIREMENTS APPLY TO THIS P/O. MTU PROCESS SHEET APPROVAL REQUIRED. UPON RECEIPT OF CMT/PAR APPROVAL FROM MTU, THE SUPPLIER IS REQUIRED TO FAX AND MAIL COPIES OF THE CMT/ PAR APPROVAL SIGNATURE DOCUMENT TO BEACON INDUSTRIES. |
| GLG | ACR | GOODRICH LANDING GEAR (BOEING) END USE. | THIS PART IS FOR GOODRICH LANDING GEAR END USE AND CONTROL MUST BE IN ACCORDANCE WITH THE LATEST REVISION OF DOCUMENT 200. PLEASE REFER TO THE LATEST REVISION OF ALL REQUIRED GLG SPECIFICATIONS SPECIFIED WITHIN. |
| GLG | ACS | GOODRICH LANDING GEAR (BOEING) END USE. | THIS PART IS FOR GOODRICH LANDING GEAR END USE AND CONTROL MUST BE IN ACCORDANCE WITH THE LATEST REVISION OF DOCUMENT 300. PLEASE REFER TO THE LATEST REVISION OF ALL REQUIRED GLG SPECIFICATIONS SPECIFIED WITHIN. |
| VERICOR | ACM | VERICOR QUALITY SYSTEM VQDP | THIS PART IS FOR VERICOR CUSTOMER END-USE AND CONTROL MUST BE IN ACCORDANCE WITH THE LATEST REVISION OF VERICOR VQDP MANUAL. PLEASE REFER TO THE LATEST REVISION OF ALL REQUIRED VERICOR SPECIFICATIONS SPECIFIED WITHIN AND DRAWINGS SUPPLIED. |
| VERICOR | ACN | GOVERNMENT SOURCE INSPECTION | THIS PART IS FOR GOVERNMENT END USE- GOVERNMENT INSPECTION MAY BE REQUIRED FOR FIRST PIECE AND/OR FIRST ARTICLE LOTS, PRIOR TO SHIPMENT FROM YOUR PLANT. UPON RECEIPT OF THIS P/O, PROMPTLY NOTIFY A QUALIFIED GOVERNMENT REPRESENTATIVE WHO NORMALLY PROVIDES INSPECTION SERVICES FOR YOUR PLANT SO THAT APPROPRIATE PLANNING FOR GOVERNMENT INSPECTION CAN BE IMPLEMENTED. |

**"BEACON INDUSTRIES INC.
PURCHASE ORDER QUALITY ASSURANCE CLAUSES
(Jan. 16, 2018 Rev. J)"**

| TYPE | CODE | SUBJECT | QA REQUIREMENT CLAUSE |
|---------|------|---|--|
| VERICOR | ACO | VERICOR FIXED PROCESSES | SUPPLIER MUST HAVE VERICOR FIXED PROCESS APPROVAL TO WORK ON THIS P/O. SUPPLIER PROVIDING THIS FIXED PROCESS MUST BE A VERICOR APPROVED SUPPLIER AND POSSESS A VERICOR VENDOR CODE PRIOR TO PERFORMING REQUESTED FIXED PROCESS. PROCESS SHEET APPROVAL REQUIRED. UPON RECEIPT OF VERICOR FIXED PROCESS APPROVAL FROM VERICOR, THE SUPPLIER IS REQUIRED TO FAX AND MAIL COPIES OF THE APPROVAL SIGNATURE DOCUMENT TO BEACON INDUSTRIES. |
| VERICOR | ACP | VERICOR ACCEPTANCE TEST PROCEDURE (ATP) APPROVAL REQUIRED | VERICOR ACCEPTANCE TEST PROCEDURE IS REQUIRED AND CONTROL MUST BE IN ACCORDANCE WITH THE LATEST REVISION OF VERICOR VQDP 109. PLEASE REFER TO THE LATEST REVISION OF ALL REQUIRED VERICOR SPECIFICATIONS SPECIFIED WITHIN AND DRAWINGS SUPPLIED. |
| VERICOR | ACQ | VERICOR CONTROLLED PROCESS APPROVAL REQUIRED | VERICOR CONTROLLED PROCESS APPROVAL REQUIRED IN ACCORDANCE WITH THE LATEST REVISION OF VERICOR VQDP 117. PLEASE REFER TO THE LATEST REVISION OF ALL REQUIRED VERICOR SPECIFICATIONS SPECIFIED WITHIN AND DRAWINGS SUPPLIED. SUPPLIER MUST POSSESS VERICOR FORM NUMBERS MFF-0001 AND MFF- 0002 PRIOR TO PERFORMING CONTRACTED SERVICE. |

**"BEACON INDUSTRIES INC.
PURCHASE ORDER QUALITY ASSURANCE CLAUSES
(Jan. 16, 2018 Rev. J)"**

| QUALITY NOTE NUMBER | TEXT |
|---------------------|---|
| Q101 | CERTIFICATE OF CONFORMANCE REQUIRED PER THE APPLICABLE PROCESS SHEET OR CUSTOMER DRAWING REQUIREMENTS INCLUDING SPECIAL REQUIREMENTS WHEN APPLICABLE. THE LATEST REVISION LETTER OF THE APPLICABLE PROCESS SHEET. CUSTOMER DRAWING AND /OR SPECIFICATIONS MUST BE INCLUDED ON THE CERTIFICATE OF CONFORMANCE. -THE CERTIFICATE OF CONFORMANCE MUST BE SIGNED BY THE Q.C. MANAGER OR A DELEGATE. |
| Q102 | FIRST ARTICLE PER SAE AS9102 REQUIRED. IF THE PART HAS NOT BEEN PRODUCED IN THE PAST 24 MONTHS A NEW FIRST ARTICLE SHALL BE REQUIRED. |
| Q103 | MATERIAL CERTIFICATION SHALL ACCOMPANY EVERY SHIPMENT. IF THE MATERIAL IS FROM THE SAME HEAT LOT # THAT HAS ALREADY BEEN ACCEPTED BY BEACON, THE SUPPLIER MAY IN LIEU OF CERTIFICATION, REFERENCE THE HEAT LOT # ON THE INVOICE. |
| Q104 | SUPPLIER IS TO SEND A COPY OF PROCESS SHEETS, PROCESS DRAWINGS AND ROUTER WITH THE INITIAL SHIPMENT OR IN CONJUNCTION WITH Q102. |
| Q105 | NON-CONFORMING MATERIAL SHALL BE HANDLED IN ACCORDANCE WITH THE CUSTOMER APPLICABLE SPECIFICATION FOR NON-CONFORMING MATERIAL. ALL NONCONFORMING MATERIAL SHALL BE DOCUMENTED AND APPROVED BY BEACON PRIOR TO SHIPMENT. |
| Q105A | UPON MATERIAL RECEIVED AT BEACON AND FOUND NONCONFORMING THE SUPPLIER SHALL BE ISSUED A CAR AND WILL BE REQUIRED TO ANSWER WITHIN 10 WORKING DAYS. FAILURE TO DO SO, COULD RESULT IN AN IMPACT TO THE SUPPLIERS STATUS WITH BEACON. |
| Q106 | PURCHASER SHALL RESERVE THE RIGHT TO AUDIT SUPPLIER'S PROCESS, PLANNING, PARTS, QUALITY RECORDS AND SUPPLIERS QUALITY SYSTEMS AT THE SUPPLIERS FACILITY. |
| Q107 | THE SUPPLIER IS AUTHORIZED TO UTILIZE ONLY SUB-TIER SUPPLIERS THAT CURRENTLY HAVE AN APPROVAL STATUS APPLICABLE TO BEACON CUSTOMER'S SPECIFICATION. SUPPLIER SHALL FURNISH PERTINENT DOCUMENTATION WITH EACH SHIPMENT. |
| Q108 | THIS PORTION REQUIRES STATISTICAL PROCESS CONTROL IMPLEMENTATION AND MONITORING. FORWARD ALL RELATIVE DOCUMENTATION WITH EACH SHIPMENT. |
| Q109 | SUPPLIER'S X-RAY FILM, TECHNIQUE AND CERTIFICATE OF CONFORMANCE SHALL BE SENT TO BEACON ON INITIAL SHIPMENT. (X-RAY'S SHALL BE IN ACCORDANCE WITH BEACON'S CUSTOMER REQUIREMENTS.) |
| Q109A | SUPPLIER SHALL IDENTIFY SURFACE CONDITIONS AND / OR ANOMALIES ON THE FILM THAT ARE ACCEPTABLE. THESE CONDITIONS SHALL ALSO BE NOTED ON THE CERTIFICATE OF CONFORMANCE. |
| Q110 | IF THE PART RECEIVES THERMAL TREATMENT, IT MUST BE PERFORMED IN ACCORDANCE WITH APPLICABLE CUSTOMER'S SPECIFICATIONS. |
| Q111 | ACTUAL READING OF HARDNESS CHECKS SHALL BE INCLUDED ON CERTIFICATE OF CONFORMANCE. |
| Q112 | FURNACE CHARTS, LOAD CHARTS, UNIFORMITY TEST RESULTS, VACUUM CHARTS AND MATERIAL CERTIFICATION AND ANY MATERIAL USED IN CONJUNCTION WITH THERMAL CYCLE AND / OR PARTS SHALL BE MAINTAINED AT SUPPLIER'S FACILITY AND BE AVAILABLE FOR PURCHASER'S REVIEW WITHIN 48 HOURS OF NOTIFICATION. |
| Q113 | MATERIAL TEST COUPONS SHALL BE SUPPLIED ON INITIAL SHIPMENT (ONLY) TO BEACON. THERE SHALL BE AT LEAST ONE TEST COUPON FOR EVERY HEAT # UTILIZED. AFTER INITIAL SHIPMENT TEST COUPONS SHALL BE MAINTAINED AT THE SUPPLIERS FACILITY. |
| Q114 | RAW MATERIAL CERTIFICATION TO THE APPLICABLE SPECIFICATIONS SHALL BE PER A GE APPROVED LABORATORY. |

**"BEACON INDUSTRIES INC.
PURCHASE ORDER QUALITY ASSURANCE CLAUSES
(Jan. 16, 2018 Rev. J)"**

| | |
|-------|---|
| Q115 | PART HAS BEEN CLASSIFIED AS VSE AND SHALL BE MANUFACTURED IN ACCORDANCE WITH CUSTOMER'S APPROVED PROCESS. (G.E. SPECIFICATION P1TF17 VENDOR SOURCE SUBSTANTIATED APPLIES) -IF NO PREVIOUS APPROVED PROCESS EXISTS, SUPPLIER SHALL MANUFACTURE ALL PARTS AND SUBMIT APPROPRIATE PAPERWORK FOR VSE APPROVAL PER THE ATTACHED SSPP REQUIREMENTS. SUPPLIER MAY MANUFACTURE ALL PARTS AND SUBMIT APPROPRIATE PAPER WORK FOR VSE APPROVAL UPON SHIPMENT OF PRODUCT TO BEACON. ACCEPTANCE OR REJECTION OF VSE PACKAGE SHALL BE AT SUPPLIER'S RISK. -WHEN SHIPPING UNAPPROVED VSE MATERIAL, SUPPLIER SHALL IDENTIFY UNAPPROVED MATERIAL ON INVOICE AS "UNAPPROVED VSE MATERIAL" |
| Q115A | G.E. SPECIFICATION S1001 APPLIES. (SOURCE SUBSTANTIATION CONTROL REQUIREMENTS). |
| Q115B | G.E. SPECIFICATION S1002 APPLIES. (SUPPLIER QUALITY PRODUCT REQUIREMENTS) |
| Q116C | SUPPLIER IS TO SEND A COPY OF ANY PREVIOUSLY APPROVED GT 7350'S WITH INITIAL SHIPMENT. |
| Q117 | DELETED |
| Q118 | G.E. SPECIFICATION S333 APPLIES. (SOURCE SUBSTANTIATIONS FOR CASTINGS) |
| Q119 | G.E. SPECIFICATIONS S405 APPLIES. (FURNACE BRAZING AND EVALUATION OF FURNACE BRAZE JOINTS) |
| Q121 | P&W SPECIFICATION PW-QA 6078 APPLIES. (QUALITY CONTROL REQUIREMENTS FOR BARSTOCK, P&W DESIGNED CASTINGS, FORGINGS, EXTRUSIONS, ROLLED OR WELDED RINGS AND SONIC CONFIGURATION OF PARTS PRODUCED BY SUPPLIERS) |
| Q122 | P&W SPECIFICATIONS PW-QA 6071 APPLIES. (CONTROL OF HIDDEN REQUIREMENTS AND SPECIAL IDENTIFICATION) |
| Q123 | P&W SPECIFICATIONS PW-QA 6077 APPLIES. (MEASUREMENT SYSTEMS REQUIREMENTS) |
| Q124 | P&W SPECIFICATION PWA 300 APPLIES. (CONTROL OF MATERIALS, PROCESS AND PARTS) |
| Q125 | P&W SPECIFICATION PWA 301 APPLIES. (RAW MATERIAL AND PROCESS SUBSTANTIATION) |
| Q126 | P&W SPECIFICATION PWA 360 APPLIES. (DRAWING INTERPRETATION) |
| Q127 | P&W SPECIFICATION PWA 370 APPLIES. (ENGINEERING SOURCE APPROVAL ESA) |
| Q128 | P&W MCL MANUAL SECTION F-17 APPLIES. (LCS REQUIRED) |
| Q129 | P&W MCL SECTION F-23 APPLIES. (MATERIAL TEST REPORTS REQUIREMENTS) |
| Q130 | P&W MANUAL SECTION F-3, F-24 AND F-26 APPLIES. (PROCUREMENT OF ROTOR FORGINGS) |
| Q131 | P&W SOURCE INSPECTION REQUIRED--IF APPLICABLE |
| Q132 | PARTS ARE FOR PWA END USE AND SHALL BE CONTROLLED PER THE APPLICABLE PWA SPECIFICATIONS. |
| Q132A | PARTS ARE FOR VERICOR END USE AND SHALL BE CONTROLLED PER THE APPLICABLE VERICOR/HONEYWELL SPECIFICATIONS. |
| Q133 | DELETED |
| Q170 | DCS-178/ ASQR-09.1 FLIGHT SAFETY PARTS PROGRAM, QUALITY STANDARDS FOR PRIME RELIABLE PARTS APPLIES. |
| Q172 | CASTING AND/OR FORGING SUPPLIERS MUST COMPLETE AN ASQR-01 FORM 4, QUALITY VERIFICATION CHECKLIST FOR EACH SHIPMENT. |
| Q180 | TEST REPORTS TO BE SENT TO BEACON'S QA DEPT. (RECEIVING INSPECTION) |
| Q181 | TEST PIECE/S TO BE SENT TO BEACON'S QA DEPT. (RECEIVING DEPARTMENT) |

**"BEACON INDUSTRIES INC.
PURCHASE ORDER QUALITY ASSURANCE CLAUSES
(Jan. 16, 2018 Rev. J)"**

| | |
|------|--|
| Q182 | ASQR-01 APPLIES (AEROSPACE SUPPLIERS QUALITY REQUIREMENTS) |
| Q183 | F-22 CHEMICAL & METALLURGICAL PROCESSING SUPPLIER CONTROLS FOR PRODUCT & PRODUCT- RELATED MATERIALS. |
| Q190 | PWA SPECIFICATION REVISION LIST ARE AVAILABLE ON THE INTERNET AT http://www2.pratt- whitney.com/procurement/tphome.htm |
| Q200 | NO SUBSTITUTION ALLOWED WITHOUT APPROVAL. |
| Q201 | CERTIFICATION OF CONFORMANCE REQUIRED TO THE LATEST SPECIFICATION (S) REFERENCED. |
| Q202 | TO BE PURCHASED FROM AN APPROVED SUPPLIER |
| Q203 | PROCESS PER THE REQUIREMENTS OF THE LATEST REVISION OF RR SABRE (SUPPLIER ADVANCED BUSINESS RELATIONSHIP) |
| Q204 | RRES90000 APPLIES (ENGINEERING CONTROL OF MANUFACTURING SOURCE AND METHODS. |